

116
MAES ET AL.
Y0R919990542US1 (P)




FIG. 1

2/16

402919990542US1

START

200

↓

OBTAI^N RAW MULTI-MODAL
INPUT DATA FROM
MULTI-MODAL DATA SOURCES

~ 202

I/O MANAGER ABSTRACTS RAW
INPUT DATA INTO EVENTS

~ 204

ONE OR MORE RECOGNITION ENGINES
PROCESS EVENT, IF NECESSARY,
BASED ON THE NATURE OF THE
INPUT DATA

~ 206

STORE EVENTS ON
CONTEXT STACK

208

DIALOG MANAGER ATTEMPTS TO
DETERMINE INTENT OF USER
BASED ON PROCESSED ABSTRACT
EVENT AND CONTEXT STACK
HISTORY

210

NO

INTENT
KNOWN
?

YES

212

NO

CONFIRM
INTENT
?

YES

216

DIALOG MANAGER CAUSES
GENERATION OF OUTPUT TO USER
TO OBTAIN FURTHER INPUT DATA

214

EXECUTE PROCESSED
EVENT OR OTHER ACTION

~ 218

FIG. 2

3/16

Y0R919990542US1






FIG. 3



4/16
Y02919990542051


5/16
Y02919990542-1



(I)

(II)

(III)



(IV)

(V)

FIG. 5A

6/16
Y0R919990542US1

ARBITRARY CONTENT
VIDEO FRAME

DETECT FACE(S)
FROM ARBITRARY
CONTENT VIDEO

~ 5.02

FACE CANDIDATES

DETECT FACIAL
FEATURES OF
FACE CANDIDATES

~ 5.04

PRUNE FACE
CANDIDATES
OR
PERFORM HIERARCHICAL
TUPLE MATCH

~ 5.06

MAKE FRONTAL
FACE PRESENCE
DECISION

~ 5.08

FRONTAL FACE
PRESENTENCE
ESTIMATES

FIG. 5B

7/16
402919990542051




FIG. 5C

8/16

Y0RQ19990542US1





FIG. 5D

9/16
Y02919990542WSI

P/O
16

FIG 6



10/16
402919990542US1




FIG. 7

11/16
YOR919990542US1





FIG. 8A

12/16

40R919990542WS1



13/16

402919990542US1




FIG. 9A

14/16
Y02919990542US1




FIG. 9B




FIG. 9C

16/16
YOR919990542WS1




Fig. 10